ELSEVIER

Brain Research 641 (1994) 357–359

BRAIN RESEARCH

Author Index

Advokat, C., Prejean, J. and Bertman, L.
Intrathecal co-administration of morphine and excitatory amino acid agonists produce differential effects on the tail-flick of intact and spinal rats (641) 135
Afar, R., Trifaró, J.-M. and Quik, M.
Nicotine-induced intracellular calcium changes are not antagonized by α-bungarotoxin in adrenal medullary cells (641) 127
Aminoff, M.J., see Chequer, R.S. (641) 273
Amir, S., see Stewart, J. (641) 141
Anderson, B.
The volume of the cerebellar molecular layer predicts attention to novelty in rats (641) 160
Aono, T., see Sakaguchi, T. (641) 163
Aschner, M., see Mullaney, K.J. (641) 1

Bach, V., see Zoccoli, G. (641) 46
Bassirat, M., see Khalil, Z. (641) 265
Baumann, M.H., see Pogun, S. (641) 83
Beninger, R.J., see DeSousa, N.J. (641) 29
Bertman, L., see Advokat, C. (641) 135
Björklund, A., see Cenci, M.A. (641) 225
Boegman, R.J., see DeSousa, N.J. (641) 29
Bonaz, B. and Taché, Y.
Water-avoidance stress-induced *c-fos* expression in the rat brain and stimulation of fecal output: role of corticotropin-releasing factor (641) 21
Bottai, D., Garcia-Gil, M., Zaccardi, M.L., Fineschi, L. and Brunelli, M.
Interleukin-1 and interleukin-6 modify protein phosphorylation in the central nervous system of *Hirudo medicinalis* (641) 155
Boulu, R.G., see Héron, A. (641) 217
Bouras, C., see Li, J.J. (641) 285
Brenner, T., Yamin, A. and Gallily, R.
Mycoplasma triggering of nitric oxide production by central nervous system glial cells and its inhibition by glucocorticoids (641) 51
Browne, S.E. and McCulloch, J.
AMPA receptor antagonists and local cerebral glucose utilization in the rat (641) 10
Brunelli, M., see Bottai, D. (641) 155
Buist, R.J., see Sunagawa, S. (641) 328

Cameron, S., see McLoon, L.K. (641) 105
Campbell, J.N., see Koschorke, G.-M. (641) 99
Canti, C., see Miralles, F. (641) 279
Cenci, M.A., Kalén, P., Duan, W.-M. and Björklund, A.
Transmitter release from transplants of fetal ventral mesencephalon or locus coeruleus in the rat frontal cortex and nucleus accumbens: effects of pharmacological and behaviorally activating stimuli (641) 225
Chen, Z.P., Levy, A. and Lightman, S.L.
Activation of specific ATP receptors induces a rapid increase in intracellular calcium ions in rat hypothalamic neurons (641) 249
Chequer, R.S., Goodin, D.S., Aminoff, M.J. and Maeztu, C.
Late electromyographic activity following stretch in human forearm muscles: physiological role (641) 273
Cianci, T., see Zoccoli, G. (641) 46
Colbert, C.M., see Stringer, J.L. (641) 289
Contreras, R.J., see Lundy Jr., R.F. (641) 208
Cumming, P. and Gjedde, A.
Subclasses of histamine H_3 antagonist binding sites in rat brain (641) 203
Cumming, P., Gjedde, A. and Vincent, S.
Histamine H_3 binding sites in rat brain: localization in the nucleus of the solitary tract (641) 198

Deschamps, S.-E., see Stewart, J. (641) 141
DeSousa, N.J., Beninger, R.J., Jhamandas, K. and Boegman, R.J.
Stimulation of $GABA_B$ receptors in the basal forebrain selectively impairs working memory of rats in the double Y-maze (641) 29
Dinh, T.T., see Ritter, S. (641) 111
Doi, T., Sakata, T., Yoshimatsu, H., Machidori, H., Kurokawa, M., Jayasekara, L.A.L.W. and Niki, N.
Hypothalamic neuronal histamine regulates feeding circadian rhythm in rats (641) 311
Duan, W.-M., see Cenci, M.A. (641) 225
Dusting, G.J., see Khalil, Z. (641) 265
Dyas, M.L., see Johanson, C.E. (641) 121

Edbladh, M., Fex-Svenningsen, Å., Ekström, P.A.R. and Edström, A.
Insulin and IGF-II, but not IGF-I, stimulate the in vitro regeneration of adult frog sciatic sensory axons (641) 76
Edström, A., see Edbladh, M. (641) 76
Ekström, P.A.R., see Edbladh, M. (641) 76

Fehm, M.N., see Mullaney, K.J. (641) 1
Fex-Svenningsen, Å., see Edbladh, M. (641) 76
Fineschi, L., see Bottai, D. (641) 155
Franzini, C., see Zoccoli, G. (641) 46
Friedman, J.E. and Haddad, G.G.
Removal of extracellular sodium prevents anoxia-induced injury in freshly dissociated rat CA1 hippocampal neurons (641) 57
Furukawa, S., see Nakajima, M. (641) 350

Gallily, R., see Brenner, T. (641) 51
Garcia-Gil, M., see Bottai, D. (641) 155
Gauer, F., Masson-Pevet, M., Stehle, J. and Pevet, P.
Daily variations in melatonin receptor density of rat pars tuberalis and suprachiasmatic nuclei are distinctly regulated (641) 92
Gault, L.M., Lin, C.-W., LaManna, J.C. and Lust, W.D.
Changes in energy metabolites, cGMP and intracellular pH during cortical spreading depression (641) 176
Gidö, G., see Kristián, T. (641) 295
Gjedde, A., see Cumming, P. (641) 198
Gjedde, A., see Cumming, P. (641) 203
Goodin, D.S., see Chequer, R.S. (641) 273

Haddad, G.G., see Friedman, J.E. (641) 57
Hara, M., see Zeng, X.-T. (641) 167
Hashikawa, T., Leggio, M.G., Hattori, R. and Yui, Y.
Nitric oxide synthase immunoreactivity colocalized with NADPH-diaphorase histochemistry in monkey cerebral cortex (641) 341
Hattori, R., see Hashikawa, T. (641) 341
Hayashi, K., see Nakajima, M. (641) 350
Hayashi, Y., see Nakajima, M. (641) 350
Helme, R.D., see Khalil, Z. (641) 265
Héron, A., Lekieffre, D., Le Peillet, E., Lasbennes, F., Seylaz, J., Plotkine, M. and Boulu, R.G.
Effects of an A1 adenosine receptor agonist on the neurochemical, behavioral and histological consequences of ischemia (641) 217
Hirota, H., see Kano, T. (641) 149

Hiruma, H., Sano, A. and Kimura, F.
Injection of bicuculline elicits firing of luteinizing hormone releasing hormone pulse generator in muscimol-treated ovariectomized rats (641) 191
Holloway, H.H., see Maiese, K. (641) 65
Hruska, F.E., see Sunagawa, S. (641) 328
Husain, J., see Juurlink, B.H.J. (641) 353

Ibata, Y., see Monji, A. (641) 171
Inagaki, C., see Zeng, X.-T. (641) 167
Ince, P.G., see Shaw, P.J. (641) 39

Jayasekara, L.A.L.W., see Doi, T. (641) 311
Jhamandas, K., see DeSousa, N.J. (641) 29
Johanson, C.E., Palm, D.E., Dyas, M.L. and Knuckey, N.W.
Microdialysis analysis of effects of loop diuretics and acetazolamide on chloride transport from blood to CSF (641) 121
Juurlink, B.H.J. and Husain, J.
Hyperthermic injury of oligodendrocyte precursor cells: implications for dysmyelination disorders (641) 353

Kalén, P., see Cenci, M.A. (641) 225
Kangrga, I.M. and Loewy, A.D.
Whole-cell patch-clamp recordings from visualized bulbospinal neurons in the brainstem slices (641) 181
Kano, T., Katayama, Y., Kawamata, T., Hirota, H. and Tsubokawa, T.
Propentofylline administered by microdialysis attenuates ischemia-induced hippocampal damage but not excitatory amino acid release in gerbils (641) 149
Kashiwagi, K., see Nakajima, M. (641) 350
Katayama, Y., see Kano, T. (641) 149
Katsura, K.-i., see Kristián, T. (641) 295
Kawamata, T., see Kano, T. (641) 149
Kawashima, T., see Nakajima, M. (641) 350
Khalil, Z., Ralevic, V., Bassirat, M., Dusting, G.J. and Helme, R.D.
Effects of ageing on sensory nerve function in rat skin (641) 265
Kimura, F., see Hiruma, H. (641) 191
Kirsch, J.D., see McLoon, L.K. (641) 105
Kiss, J.P., Tóth, E., Lajtha, A. and Vizi, E.S.
NMDA receptors are not involved in the MK-801-induced increase of striatal dopamine release in rat: a microdialysis study (641) 145
Knuckey, N.W., see Johanson, C.E. (641) 121
Koschorke, G.-M., Meyer, R.A. and Campbell, J.N.
Cellular components necessary for mechanoelectrical transduction are conveyed to primary afferent terminals by fast axonal transport (641) 99
Kristián, T., Katsura, K.-i., Gidö, G. and Siesjö, B.K.
The influence of pH on cellular calcium influx during ischemia (641) 295
Kuhar, M.J., see Pogun, S. (641) 83
Kurokawa, M., see Doi, T. (641) 311

Lajtha, A., see Kiss, J.P. (641) 145
LaManna, J.C., see Gault, L.M. (641) 176
Langub Jr., M.C., Maley, B.E. and Watson Jr., R.E.
Estrous cycle-associated axosomatic synaptic plasticity upon estrogen receptive neurons in the rat preoptic area (641) 303
Larson, D.M., see Maiese, K. (641) 65
Lasbennes, F., see Héron, A. (641) 217
Lassen, N.A., see Wang, Q. (641) 257
Leggio, M.G., see Hashikawa, T. (641) 341
Lekieffre, D., see Héron, A. (641) 217
Lenzi, P., see Zoccoli, G. (641) 46
Le Peillet, E., see Héron, A. (641) 217
Levy, A., see Chen, Z.P. (641) 249
Li, J.J., Voisin, D., Quiquerez, A.-L. and Bouras, C.
Differential expression of advanced glycosylation end-products in neurons of different species (641) 285
Lightman, S.L., see Chen, Z.P. (641) 249
Lin, C.-W., see Gault, L.M. (641) 176
Loewy, A.D., see Kangrga, I.M. (641) 181
Lundy Jr., R.F. and Contreras, R.J.
Neural responses of thermal-sensitive lingual fibers to brief menthol stimulation (641) 208
Lust, W.D., see Gault, L.M. (641) 176

Machidori, H., see Doi, T. (641) 311
Maeztu, C., see Chequer, R.S. (641) 273
Maiese, K., Holloway, H.H., Larson, D.M. and Soncrant, T.T.
Effect of acute and chronic arecoline treatment on cerebral metabolism and blood flow in the conscious rat (641) 65
Maley, B.E., see Langub Jr., M.C. (641) 303
Marsal, J., see Miralles, F. (641) 279
Masson-Pevet, M., see Gauer, F. (641) 92
McCulloch, J., see Browne, S.E. (641) 10
McLoon, L.K., Kirsch, J.D., Cameron, S. and Wirtschafter, J.D.
Injection of doxorubicin into rabbit eyelid does not result in loss of facial motor neurons (641) 105
Meyer, R.A., see Koschorke, G.-M. (641) 99
Miralles, F., Canti, C., Marsal, J., Peres, J. and Solsona, C.
Zinc ions block rectifier potassium channels and calcium activated potassium channels at the frog motor nerve endings (641) 279
Monji, A., Morimoto, N., Okuyama, I., Umeno, K., Nagatsu, I., Ibata, Y. and Tashiro, N.
The number of noradrenergic and adrenergic neurons in the brain stem does not change with age in male Sprague–Dawley rats (641) 171
Morimoto, N., see Monji, A. (641) 171
Mullaney, K.J., Fehm, M.N., Vitarella, D., Wagoner Jr., D.E. and Aschner, M.
The role of -SH groups in methylmercuric chloride-induced D-aspartate and rubidium release from rat primary astrocyte cultures (641) 1

Nagatsu, I., see Monji, A. (641) 171
Nakajima, M., Kashiwagi, K., Ohta, J., Furukawa, S., Hayashi, K., Kawashima, T. and Hayashi, Y.
Etoposide induces programmed death in neurons cultured from the fetal rat central nervous system (641) 350
Niki, N., see Doi, T. (641) 311

Ohta, J., see Nakajima, M. (641) 350
Okuyama, I., see Monji, A. (641) 171
Olianas, M.C., see Onali, P. (641) 132
Onali, P. and Olianas, M.C.
PACAP is a potent and highly effective stimulator of adenylyl cyclase activity in the retinas of different mammalian species (641) 132

Palm, D.E., see Johanson, C.E. (641) 121
Paulson, O.B., see Wang, Q. (641) 257
Peeling, J., see Sunagawa, S. (641) 328
Pelligrino, D.A., see Wang, Q. (641) 257
Peres, J., see Miralles, F. (641) 279
Pevet, P., see Gauer, F. (641) 92
Plotkine, M., see Héron, A. (641) 217
Pogun, S., Baumann, M.H. and Kuhar, M.J.
Nitric oxide inhibits [^{3}H]dopamine uptake (641) 83
Prejean, J., see Advokat, C. (641) 135

Quik, M., see Afar, R. (641) 127
Quiquerez, A.-L., see Li, J.J. (641) 285

Ralevic, V., see Khalil, Z. (641) 265
Ritter, S. and Dinh, T.T.
2-Mercaptoacetate and 2-deoxy-D-glucose induce Fos-like immunoreactivity in rat brain (641) 111

Sakaguchi, T., Sandoh, N. and Aono, T.
Glucose signal in the nucleus of the vagus nerve modulates the cyclicity of gastric motility in rats (641) 163
Sakata, T., see Doi, T. (641) 311
Sandoh, N., see Sakaguchi, T. (641) 163
Sano, A., see Hiruma, H. (641) 191
Seylaz, J., see Héron, A. (641) 217
Shaw, P.J. and Ince, P.G.
A quantitative autoradiographic study of [^{3}H]kainate binding sites in the normal human spinal cord, brainstem and motor cortex (641) 39
Shimizu, H., see Tanaka, M. (641) 319
Siesjö, B.K., see Kristián, T. (641) 295
Solsona, C., see Miralles, F. (641) 279
Soncrant, T.T., see Maiese, K. (641) 65
Staszewska, M., see Trojniar, W. (641) 333
Stehle, J., see Gauer, F. (641) 92
Stewart, J., Deschamps, S.-E. and Amir, S.
Inhibition of nitric oxide synthase does not block the development of sensitization to the behavioral activating effects of amphetamine (641) 141
Stringer, J.L. and Colbert, C.M.
Analysis of field potentials evoked in CA1 by angular bundle stimulation in the rat (641) 289

Sunagawa, S., Buist, R.J., Hruska, F.E., Sutherland, G.R. and Peeling, J. Hydrogen ion compartmentation during and following cerebral ischemia evaluated by ^{31}P NMR spectroscopy (641) 328
Sutherland, G.R., see Sunagawa, S. (641) 328

Taché, Y., see Bonaz, B. (641) 21
Tanaka, M., Tomita, A., Yoshida, S., Yano, M. and Shimizu, H. Observation of the highly organized development of granule cells in rat cerebellar organotypic cultures (641) 319
Tashiro, N., see Monji, A. (641) 171
Tomita, A., see Tanaka, M. (641) 319
Tóth, E., see Kiss, J.P. (641) 145
Trifaró, J.-M., see Afar, R. (641) 127
Trojniar, W. and Staszewska, M. Unilateral damage to the ventral tegmental area facilitates feeding induced by stimulation of the contralateral ventral tegmental area (641) 333
Tsubokawa, T., see Kano, T. (641) 149

Umeno, K., see Monji, A. (641) 171

Vincent, S., see Cumming, P. (641) 198
Vitarella, D., see Mullaney, K.J. (641) 1
Vizi, E.S., see Kiss, J.P. (641) 145
Voisin, D., see Li, J.J. (641) 285

Wagoner Jr., D.E., see Mullaney, K.J. (641) 1
Wang, Q., Pelligrino, D.A., Paulson, O.B. and Lassen, N.A. Comparison of the effects of N^G-nitro-L-arginine and indomethacin on the hypercapnic cerebral blood flow increase in rats (641) 257
Watson Jr., R.E., see Langub Jr., M.C. (641) 303
Wirtschafter, J.D., see McLoon, L.K. (641) 105

Yamin, A., see Brenner, T. (641) 51
Yano, M., see Tanaka, M. (641) 319
Yoshida, S., see Tanaka, M. (641) 319
Yoshimatsu, H., see Doi, T. (641) 311
Yui, Y., see Hashikawa, T. (641) 341

Zaccardi, M.L., see Bottai, D. (641) 155
Zeng, X.-T., Hara, M. and Inagaki, C. Electrogenic and phosphatidylinositol-4-monophosphate-stimulated Cl^- transport by Cl^- pump in the rat brain (641) 167
Zoccoli, G., Bach, V., Cianci, T., Lenzi, P. and Franzini, C. Brain blood flow and extracerebral carotid circulation during sleep in rat (641) 46